



# Certificate of Analysis

#31390 MODERN817871

## Modern Aminos

www.ModernAminos.com  
cs@modernaminos.com


Sample received: **01/19/26**  
Analysis conducted: **01/20/26**

Product:	Glutathione 200mg/mL
Appearance:	Clear liquid

Qualitative and quantitative chemical analysis by RP-HPLC with UV detection

### Results

Analyte	Specification	Result	
L-Glutathione	200 mg/mL	212.2 mg/mL	Conforms
L-Ascorbic acid	3 mg/mL	3.074 mg/mL	Conforms



*Lucas Weber*

Lucas Weber  
Principal Chemist

COA #31390  
access code MODERN817871  
chromate.org/verify  
produced 01/21/26



# Certificate of Analysis



Client:  
**Modern Aminos**

Laboratory:  
**TrustPointe Analytics LLC**  
1743 142nd Ave Suite 4  
Dorr, MI 49323



Scan or Click to Verify

## Sample Information

<b>Sample Name</b>	Glutathione 200 MG/ ML	<b>Client SID</b>	Glutathione 200MG/ ML	<b>Published</b>	2025-02-26 17:00
--------------------	------------------------	-------------------	-----------------------	------------------	------------------

## Results

<b>Sample ID</b>	SPL-0389
USP <71> Sterility Test	Pass

## Comments for SPL-0389

### General

Commercially prepared Tryptic Soy Broth (TSB): TSB 24-1, Lot: 33RJ69, Exp: 2025-08-10  
Fluid Thioglycolate Medium (FTM): Lot: UK319487-349, Exp: 10-31-2025

## Approvals

Created by

**Ashlee Lust**  
President

Reviewed by

**Joshua Lust**  
Managing Director